

# EganWall

Dry-erase/Projection



## EganWall Featuring EVS™


- Dry-erase
- Projection
- SmoothMount™ gluable wall application

# Versatile EganWall



EganWall creates an unparalleled communication wallcovering solution ideal for dry-erase brainstorming and data projection screen all in one - with zero footprint.

Egan's exclusive SmoothMount lamination technology makes EganWall a thick, durable material, substantial enough to install smoothly over most wall situations. Even small imperfections are reduced when resurfaced with EganWall. (see back cover for Installation tips)



Low Glare projection surface



Flexible EganWall takes on the design curve

## EVS Wall to Wall

- 54" or 48" height
- Shown framed with EganSystem track trim kit
- Install floor to ceiling
- Additional trim kits available
- Length determined by your available space



Challenging requirements now have an easy solution

EVS™ (Egan Visual Surfacing - patents pending)

Great dry erase surface - guaranteed to clean

EganWall resurfaces existing chalkboards





### EganWall installs and performs better. Period

EganWall is designed to provide the highest quality dry-erase and projection surface available in a roll format. The SmoothMount lamination process assures that EganWall has an absolutely flat memory.

EganWall is suitable in a wide variety of applications including adhesion to existing walls, columns or other architectural detailing where dry-erase notation or projection is required. EganWall can be applied directly over many outdated writing surfaces including blackboards. EganWall has a substantial glueable backing with an incredibly flat and stable EVS™ surface which creates a superior appearance, unmatched in the visual communication industry.

### EganWall - EVS Write or EVS Projection

**EVS Write** is a guaranteed-to-clean dry-erase markerboard with a surface finish of 40° gloss, which provides for easy erase with EganMarkers and tolerates the use of lower quality, office dry-erase markers. EVS Write is acceptable for occasional projection applications, some projector refraction may occur.



**EVS Projection** has a 30° gloss level and is a highly effective projection screen featuring a full 160° comfortable viewing angle without dimming the lights. EVS Projection performs well as a dry-erase surface as well. Low quality markers may be a bit stubborn to remove and can be easily cleaned with an ammonia based cleaner. EVS is guaranteed to clean.

### EganWall Trim Kits and Marker/Tackboards

Optional Trim Kits provide contemporary framing of EganWall with an EganSystem Top Track. EganWall Markerboards and Tackboards complete the communication solution.




### EganWall features EVS

**EVS** (Egan Visual Surfacing) is a revolutionary whiteboard technology featuring a smooth non-porous surface that is absolutely guaranteed-to-clean. When you see the EVS logo, you know it's a guaranteed-to-clean whiteboard, that's ideal for projection, only from Egan Visual.



**EganMarkers** or equal quality pens are preferred for high performance dry-erase applications. Other dry-erase markers may be used, but are not recommended.



**EganCloth** is the best way to clean EganWall, or any whiteboard! EganCloth is a reusable, revolutionary microfiber fabric that attracts dry-erase dust like a magnet. Periodic cleaning with an ammonia based glass cleaner and EganCloth will keep EganWall looking like new. EganCloth is machine washable.



**Guaranteed-To-Clean:** With proper cleaning and maintenance, markers will clean off EganWall, guaranteed.



**EganWall is tough stuff.** Even permanent office-quality markers will not damage EganWall. Scribble over permanent marker with an EganMarker and wipe off with EganCloth.

As with all dry-erase surfaces the longer the dry-erase writing is left on the surface the more effort is needed to remove it. Don't worry, it will clean! It's guaranteed.


### Quick Ship - 10 days Availability

Maximum four cuts (maximum 70') shipped on a single roll to one location. Additional cuts \$10 each per roll delivered. See Price List for details.



# EganWall Specifications

## EganWall




Code	Description	Roll Height	Minimum Roll Length
EWV5410	10' w x 54"h EVS roll	54"	10'
EWP5410	10' w x 54"h EVS Pro roll	54"	10'
EWV4810	10' w x 48"h EVS roll	48"	10'
EWP4810	10' w x 48"h EVS Pro roll	48"	10'

- \* EganWall available in EVS (EWV) or EVS Pro (EWP).
- EganWall supplied in one foot increments, place your order accordingly. (10' minimum).
- Available on ten day shipping.
- Maximum four cuts (maximum 70') shipped on a single roll to one location. Additional cuts Call each per roll delivered.

Note: EganWall is factory cut to a tolerance of +2" - 0"


## EganWall Trim Kits



Code	Description
EWT12060EM	Complete Metallic EganTrim Kit for 54" and 48" ten foot installations. Includes EganSystem track top and bottom. Finished with EganTrim on both verticals.
EMST60	60" single length of Metallic EganSystem Track.
EWVT54EM	54" vertical trim for use with EganSystem track. Track sold in pairs (one left and one right). For use with 54"h or 48"h EganWall.

\* Prices based on trim ordered and shipped with EganWall.

## EganWall 202 - EVS Lightweight Markerboards and Tackboards



EVS	EganWall Markerboards and Tackboards
EWTB2648EEEM	26"w x 48"h with EVS lightweight writing surface both sides
EWTB2648EFEM	26"w x 48"h with EVS writing one side, tackable fabric on reverse.
EWTB3648EEEM	36"w x 48"h with EVS lightweight writing surface both sides
EWTB3648EFEM	36"w x 48"h with EVS writing one side, tackable fabric on reverse.
EWTB2654EEEM	26"w x 54"h with EVS lightweight writing surface both sides
EWTB2654EFEM	26"w x 54"h with EVS writing one side, tackable fabric on reverse.
EWTB3654EEEM	36"w x 54"h with EVS lightweight writing surface both sides
EWTB3654EFEM	36"w x 54"h with EVS writing one side, tackable fabric on reverse.

Note: 48"h boards not recommended for 54"h EganWall product.

## Installation Tips for EganWall

A qualified professional wallcovering installer is recommended for installation as they must be familiar with handling roll products to prevent kinking or creasing the EganWall surface coating. EganWall is installed on any well prepared horizontal surface with an appropriate, mildew-resistant, wallcovering adhesive. Call customer service at the number below for recommended adhesives

### Existing Walls

- Wall surfaces need to be clean, dry, with a smooth finish and be free of mildew, grease or stains.
- Wall imperfections, blemishes or irregularities may be noticeable after installation. For critical applications, Egan recommends level 5 wall conditions as per the Gypsum Association. Reference <http://www.gypsum.org/pdf/GA-214-96pdf.pdf>

### New Construction

- New Drywall should be prepared to a level 5 as per the Gypsum Association referenced above. Use a good white acrylic wall covering primer and sand smooth any marks left by the primer.
- New Plaster walls should be allowed to cure for 90-120 days.
- Need more details? Call us at the number below and we will send you a complete set of instructions.

Egan Visual, Inc.  
U.S. Eastern/Central States and Canada  
905-851-2826 or 1-800-263-2387  
Fax 905-851-3426 or 905-851-3426  
evi@egan.com

Egan Visual/West, Inc.  
U.S. Mountain and Western States  
1-800-826-1778 or 323-720-1337  
Fax 800 826 1778 or 323-720-1911  
evw@egan.com

[www.egan.com](http://www.egan.com)